

L Number	Hits	Search Text	DB	Time stamp
1	3282	(tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:28
2	1272	(tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:36
3	327	(floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:02
4	1250	(tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:44
5	6617	((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:40
6	900	(712/221-222.ccls. or 712/244.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:38
7	187	(708/495.ccls. or 708/507.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:38
8	265	((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:45
9	78	((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:45
10	34	((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:45
11	1746	(tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:17

12	27	((((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 14:47
13	26	((((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:17
14	8	((((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)))) not (((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:17
15	4	((((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)))) not (((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several)) and (((tlb or (translation adj5 (buffer or unit) or atu)) same (integer or load\$3 or read\$3)) and ((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2)))) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (port or path or input\$4))) and (@ad<=19991217 or @rlad<=19991217))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:30

16	423	(tlb or (translation adj5 (buffer or unit) or atu)) same (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:55
17	162	(tlb or (translation adj5 (buffer or unit) or atu)) with (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:01
18	106	(floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:29
19	29	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:29
20	8	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:30
21	7	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))) and ((tlb or (translation adj5 (buffer or unit) or atu)) same (parallel or concurrent\$2 or simultaneous\$2))) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:32
22	25	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:57
23	5	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))) and (@ad<=19991217 or @rlad<=19991217)) and (((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:33
24	1	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))) and (@ad<=19991217 or @rlad<=19991217)) and ((712/221-222.ccls. or 712/244.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:34
25	0	((tlb or (translation adj5 (buffer or unit) or atu)) with (integer)) and ((floating adj1 point) with (tlb or (translation near4(unit or buffer)) or atu))) and (@ad<=19991217 or @rlad<=19991217)) and ((708/495.ccls. or 708/507.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:34
26	1		USPAT	2004/06/18 15:34
27	1		USPAT	2004/06/18 15:35
28	1		USPAT	2004/06/18 15:36
29	1		USPAT	2004/06/18 15:36
30	1		USPAT	2004/06/18 15:36
31	1		USPAT	2004/06/18 15:36
32	1		USPAT	2004/06/18 15:39
33	1		USPAT	2004/06/18 15:39

34	1		USPAT	2004/06/18 15:39
35	1		USPAT	2004/06/18 15:40
36	1		USPAT	2004/06/18 15:41
37	1		USPAT	2004/06/18 15:43
38	1		USPAT	2004/06/18 15:43
39	423	(tlb or (translation adj5 (buffer or unit) or atu)) same (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:01
40	68	((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (integer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:57
41	52	((((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (integer))) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:03
42	13	((((floating adj1 point) same (tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) with (integer))) and (@ad<=19991217 or @rlad<=19991217)) and (((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 15:57
43	1374	(tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:02
44	3018	(floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:02
45	35	((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer)) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:03
46	26	((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer)) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several))) and (@ad<=19991217 or @rlad<=19991217)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:03
47	15	((((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer)) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several))) and (@ad<=19991217 or @rlad<=19991217)) and (((711/119.ccls. or 711/131.ccls. or 711/144-145.ccls. or 711/150.ccls. or 711/161-162.ccls. or 711/168.ccls. or 711/205-207.ccls. or 711/3.ccls. or 711/149-150.ccls. or 711/154.ccls. or 711/141.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:17

48	31	lyon-terry\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:16
49	4	(((((tlb or (translation adj5 (buffer or unit) or atu or cache)) with (integer)) and ((floating adj1 point) same (cache or tlb or (translation near4(unit or buffer)) or atu)) and ((tlb or (translation adj5 (buffer or unit) or atu)) near5 (second or multiple or plural\$3 or several))) and (@ad<=19991217 or @rlad<=19991217)) and lyon-terry\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:17